



Contactor® & Recharger® Septic Chambers The Chamber With The Stripe®



Septic System Owner's Manual

How to Properly Care for Your CULTEC Leachfield System



Get to Know Your CULTEC Septic System

This manual contains guidelines recommended by CULTEC, Inc. and may be used in conjunction with, but not to supersede, local regulations or regulatory authorities. OSHA Guidelines must be followed when inspecting or cleaning any structure.

A septic system achieves sewage treatment and disposal for rural homes where centralized sewage systems may not be available. It is composed of a septic tank and a drainfield (leachfield). The sewage flows from the house to the septic tank where the solids are removed; the wastewater then flows to the drainfield where it is allowed to soak into the ground.

Septic System Components

- Septic tank
- Drainfield (leachfield) - CULTEC septic chambers

The septic tank is the primary collection tank for wastewater. This is where solids are settled out to the bottom of the tank to create a sludge and grease floats to the top creating a scum layer. The middle layer is the effluent that is typically drained out to the drainfield. Bacteria exist within the septic tank and begin to treat and break down the solids.

The drainfield (leachfield, disposal trench or subsurface disposal field) is an underground piping network buried below the surface of the ground. The CULTEC chambers create arch-shaped tunnels to provide an underground temporary holding area for the septic effluent. The field distributes the effluent from the septic tank over a large area allowing it to percolate through the soil.

Conventional drainfields have used perforated pipe and stone systems or concrete galleries to distribute the effluent. CULTEC's Contactor and Recharger plastic chambers may be used in place of these conventional systems for more effective installation.

Each state (and sometimes county or local municipality) has written septic regulations and guidelines which outline the square footage sizing required for a given septic leachfield. Our plastic septic chambers have been widely accepted in most parts of the United States for gravel-less septic leachfields as replacements for concrete galleries and conventional pipe and stone systems. Contact area is maximized by the fully open bottoms, perforated sidewalls, and use of CULTEC No. 410 Filter Fabric. The CULTEC No. 410 Filter Fabric works as a sponge wetting the entire surface area of the chambers and prevents soil intrusion. Units may be configured in trench or bed installations using gravity feed or pressure distribution according to acceptance by local regulations. Due to their greater contact area, CULTEC chambers are commonly allowed to reduce the overall system sizing requirements up to 50% when approved by the local authority. This sizing reduction may be a key factor when choosing septic products for a residence with tight site constraints, existing landscaping or when area is desired for other structures such as a swimming pool.



Septic tank and leachfield using CULTEC chambers.



Septic leachfield using CULTEC chambers in pipe distribution system.

DO

Call before you dig.

Limit water usage to avoid overloading the system.

Watch what you flush. Keep household cleaners, grease, paint, etc. out of the drains. Only flush bio-degradable products.

DON'T

Don't drive over system.

Don't construct a structure over the tank or leach-field.

Don't plant trees over the septic system.

1-Year Limited Warranty

CULTEC, Inc. finished products, when properly installed, registered with Cultec, Inc., and operated under normal conditions of use, are covered under Cultec Inc.'s Limited Warranty to be free from defects in material and workmanship for a period of one (1) year from the date of manufacture. In order to obtain Cultec's Limited Warranty, the product warranty registration card must be completed and returned to Cultec, Inc., having been postmarked within thirty (30) days of installation. Failure to return the warranty registration card to Cultec, Inc. shall void the Limited Warranty. This Limited Warranty shall be void if the finished product is not installed within forty-five (45) days of the date of purchase from Cultec, Inc. In order to obtain performance under this Limited Warranty, Cultec, Inc. must be provided with written notice of any defect promptly (in no case later than ten (10) business days after initial discovery AND prior to the end of the Limited Warranty period), with such notice sent to 878 Federal Road, PO Box 280, Brookfield, CT 06804-0280. The original purchase receipt for the product must be included with documentation supporting any claim under the terms of this Limited Warranty. Failure to promptly submit notice of defect, a receipt and completed limited warranty certificate will void the Limited Warranty. Cultec, Inc. shall not be responsible for any freight charges incurred in connection with this Limited Warranty. A fee may be incurred when Cultec, Inc. (in its sole discretion) deems it necessary for a Cultec, Inc. representative to visit a product installation site.

This Limited Warranty extends only to Cultec, Inc. products when the products are installed in 'single level', provided that such products do not, in the collective, amount to more than 12,000 cubic feet (339.84 cubic meters) of water volume storage capacity. This Limited Warranty shall be void where products are installed in 'multi-layer' or 'multi-tier' systems, as well as wherein collective system volume exceeds 12,000 cubic feet (339.84 cubic meters) of water volume storage capacity. Notwithstanding the foregoing, Cultec, Inc., in its sole discretion, may extend certain Limited Warranty terms upon 'double-layer' or 'double-tier' product installations, as well as 'single level' product installations wherein collective system volume exceeds 12,000 cubic feet (339.84 cubic meters) of water volume storage capacity, provided that (i) the buyer has contacted Cultec, Inc. prior to installation and has advised of the proposed installation design; (ii) all product warranty registration information has been provided prior to product installation; (iii) a pre-construction/pre-installation meeting has been held with representatives of Cultec, Inc.; and (iv) Cultec, Inc. has provided written confirmation of its intent to honor any Limited Warranty terms with respect to the specific installation. Under no circumstances shall any decision by Cultec, Inc. to honor such terms be relied upon by any party in any subsequent product purchase or installation.

This Limited Warranty does not apply to installation piping and/or other parts not supplied by Cultec, Inc. Cultec, Inc.'s limited warranties also do not extend to any goods or parts which have been damaged prior to installation, subjected to misuse, damaged by lack of maintenance, improper installation, neglect, damaged by accident, or damaged by being crushed by heavy equipment weighing in excess of the rated load carrying capacity of the product. This Limited Warranty also does not apply to shipping or in-transit damage.

THIS LIMITED WARRANTY DOES NOT APPLY TO CULTEC, INC. PRODUCTS THAT HAVE NOT BEEN INSTALLED ACCORDING TO CULTEC WRITTEN INSTALLATION INSTRUCTIONS. ANY PRODUCT DAMAGE OR FAILURE RESULTING FROM IMPROPER OR NEGLIGENT INSTALLATION IS SPECIFICALLY EXCLUDED FROM THIS WARRANTY AND SHALL REMAIN THE BUYER'S RESPONSIBILITY.

THIS WARRANTY IS LIMITED TO THE BUYER AND IS NOT TRANSFERABLE. THIS EXPRESS LIMITED WARRANTY EXCLUDES ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESSED, IMPLIED, OR STATUTORY, BY ANY LITERATURE, DATA, OR PERSON. CULTEC, INC. EXPRESSLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE WITH RESPECT TO THE GOODS SOLD. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTIONS SET FORTH IN THIS LIMITED WARRANTY, NOTWITHSTANDING ANY KNOWLEDGE OF CULTEC, INC. REGARDING THE USE OR USES INTENDED TO BE MADE OF GOODS, PROPOSED CHANGES OR ADDITIONS TO GOODS, OR ANY ASSISTANCE OR SUGGESTIONS THAT MAY HAVE BEEN MADE BY CULTEC, INC. PERSONNEL. BUYER IS RESPONSIBLE FOR DETERMINING THE SUITABILITY OF CULTEC, INC. PRODUCTS FOR BUYER'S USE OR RESALE, OR FOR INCORPORATING THEM INTO OBJECTS OR APPLICATIONS WHICH BUYER DESIGNS, ASSEMBLES, CONSTRUCTS OR MANUFACTURES.

CULTEC, INC. WILL NOT BE RESPONSIBLE OR LIABLE FOR INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, HOWEVER ARISING, INCLUDING BUT NOT LIMITED TO THOSE FOR USE OF ANY PRODUCTS, LOSS OF TIME, INCONVENIENCE, LOST PROFIT, LABOR CHARGES, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES WITH RESPECT TO PERSONS, BUSINESS, OR PROPERTY, WHETHER AS A RESULT OF BREACH OF WARRANTY, NEGLIGENCE OR OTHERWISE. NOTWITHSTANDING ANY OTHER PROVISION OF THIS LIMITED WARRANTY, BUYER'S REMEDY AGAINST CULTEC, INC. FOR GOODS SUPPLIED OR FOR NON-DELIVERED GOODS OR FAILURE TO FURNISH GOODS, WHETHER OR NOT BASED ON NEGLIGENCE, STRICT LIABILITY OR BREACH OF EXPRESS OR IMPLIED WARRANTY, IS LIMITED SOLELY, AT CULTEC, INC.'S OPTION, TO REPLACEMENT OF OR CURE OF SUCH NONCONFORMING OR NON-DELIVERED GOODS OR RETURN OF THE PURCHASE PRICE FOR SUCH GOODS AND IN NO EVENT SHALL EXCEED THE PRICE OR CHARGE FOR SUCH GOODS. CULTEC, INC.'S MAXIMUM LIABILITY UNDER THIS EXCLUSIVE REMEDY SHALL NEVER EXCEED THE COST OF THE SUBJECT PRODUCT. CULTEC, INC. RESERVES THE RIGHT, AT ITS SOLE DISCRETION, TO REFUND THE PURCHASE PRICE IN LIEU OF REPAIR OR REPLACEMENT.



CULTEC

Chamber of Choice™

CULTEC, Inc.

878 Federal Road • P.O. Box 280 • Brookfield, CT 06804

Phone: 203-775-4416 • Toll Free: 800-4-CULTEC • Fax: 203-775-1462

Web: www.cultec.com • E-mail: custservice@cultec.com