




\*MAY ALSO BE USED AS AN INTERMEDIATE UNIT TO EXTEND THE LENGTH OF A RUN.



INSTALLED LENGTH ADJUSTMENT = 0.6' [0.18 m]



**CULTEC, Inc.**

Subsurface Stormwater Management Systems  
 P.O. Box 280 PH: (203) 775-4416  
 878 Federal Road PH: (800) 4-CULTEC  
 Brookfield, CT 06804 FX: (203) 775-1462  
 www.cultec.com tech@cultec.com

THIS DRAWING WAS PREPARED TO SUPPORT THE DESIGN ENGINEER FOR THE PROPOSED SYSTEM. IT IS THE ULTIMATE RESPONSIBILITY OF THE DESIGN ENGINEER TO ASSURE THAT THE STORMWATER SYSTEM'S DESIGN IS IN FULL COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. IT IS THE DESIGN ENGINEER'S RESPONSIBILITY TO ENSURE THAT THE CULTEC PRODUCTS ARE DESIGNED IN ACCORDANCE WITH CULTEC'S MINIMUM REQUIREMENTS. CULTEC INC. DOES NOT APPROVE PLANS, SIZING, OR SYSTEM DESIGNS. THE DESIGNING ENGINEER IS RESPONSIBLE FOR ALL DESIGN DECISIONS.

CONTACTOR 100 STANDARD DUTY  
 THREE VIEW DETAIL  
 SEPTIC APPLICATION

**CULTEC CONTACTOR® 100SD**

PROJECT NO: -	DATE: 10/2014
DESIGNED BY: CULTEC, INC.	DRAWN BY: TECH
SCALE: N.T.S.	SHEET NO: 1 OF 1